

BONE HOLDING INSTRUMENTS

Bone holding instruments are essential for maintaining stable positioning of bone fragments during orthopedic procedures. Our range includes forceps, clamps, and graspers designed for a secure, non-slip hold without causing damage to bone surfaces. Precision-engineered from surgical-grade materials, these instruments ensure firm control, ease of handling, and reliability throughout the surgical process.



BONE HOLDING FORCEPS


LEWIN BONE HOLDING FORCEPS



CODE #	DESCRIPTION
NE47130	Serrated, 7" (18 cm)

BONE HOLDING FORCEPS

For positioning K-Wire up to 0.062" (1.6 mm).



CODE #	DESCRIPTION
NE45304	Curved, with 0.062" (1.6 mm) K-wire guide, 5-1/2" (14 cm)

BONE HOLDING FORCEPS

For positioning K-Wire up to 0.035" (0.9 mm).



CODE #	DESCRIPTION
NE45302	Curved, with 0.035" (0.9 mm) K-Wire guide, 6-3/4" (17 cm)

BONE HOLDING FORCEPS

Curved, with K-Wire guide, 5" (13 cm).



CODE #	DESCRIPTION
NE45305	0.035" (0.9 mm)
NE45306	0.045" (1.1 mm)
NE45307	0.062" (1.6 mm)

GLENOID PERFORATING FORCEPS

Pointed tips, 6-1/2" (17 cm).



CODE #	DESCRIPTION
NE46911	Slightly curved
NE46912	Strongly curved

BONE HOLDING FORCEPS


Angled, with fenestration.



CODE #	DESCRIPTION
NE47129	Inside fenestration 22 x 14 mm, outside fenestration 30 x 20 mm, ratchet length 3" (76 mm), overall length 6" (15 cm)

LOCKE PHALANGEAL FORCEPS

Very useful for removing the sesamoid bone



CODE #	DESCRIPTION
NE69787	Serrated, 1 x 2 teeth, 6" (15 cm)

PLATE AND BONE HOLDING FORCEPS

For positioning mini bone plates.



CODE #	DESCRIPTION
NE47139	1 pointed tip, 5-1/4" (14 cm)

MALLEOLAR BONE HOLDING FORCEPS

Grasping forceps for small bones



CODE #	DESCRIPTION
NE47010	1 x 1 sharp points, 8-1/4" (21 cm)

PLATE AND BONE HOLDING FORCEPS

For positioning small bone plates.



CODE #	DESCRIPTION
NE47138	5-3/8" (14 cm)

PARHAM-MARTIN BONE CLAMP

Fit thin end of band through slot in other end of band. Insert thin end into clamp. 8-1/4" (21 cm).



CODE #	DESCRIPTION
NE47172	Bands not included
NE47173	Single band only


SEMB BONE HOLDING FORCEPS

Curved sideways. Deep teeth.



CODE #	DESCRIPTION
NE47074	4 x 5 teeth, without ratchet, 7-1/2" (19 cm)
NE47076	5 x 5 teeth, with ratchet, 8" (21 cm)

PATELLA BONE HOLDING FORCEPS



CODE #	DESCRIPTION
NE47012	2 x 2 sharp teeth, with speed lock, 7" (18 cm)

FARABEUF BONE HOLDING FORCEPS

Adjustable jaw



CODE #	DESCRIPTION
NE47194	9" (23 cm)
NE47196	10" (25.5 cm)

LANGENBECK BONE HOLDING FORCEPS



CODE #	DESCRIPTION
NE47200	2 x 2 sharp teeth, with speed lock, 7" (18 cm)

FARABEUF-LAMBOTTE BONE HOLDING FORCEPS

Adjustable jaw



CODE #	DESCRIPTION
NE47190	7-1/2" (19 cm)
NE47192	10-1/2" (27 cm)

VAN BUREN SEQUESTRUM FORCEPS

Curved sideways, serrated, 9" (23 cm)



CODE #	DESCRIPTION
NE47072	2 x 2 teeth, 8-1/4" (21 cm)

FIBULA BONE HOLDING FORCEPS

With angled tip and speed lock.



CODE #	DESCRIPTION
NE47170	8-1/2" (22 cm)

FIBULA BONE HOLDING FORCEPS

With angled tip and speed lock.



CODE #	DESCRIPTION
NE47170	8-1/2" (22 cm)

LAMBOTTE BONE HOLDING FORCEPS

With swivel head, adjustable jaw.



CODE #	DESCRIPTION
NE47204	8-1/2" (22 cm)
NE47206	10-1/2" (27 cm)
NE47208	11-1/2" (29 cm)

FERGUSON BONE HOLDING FORCEPS



CODE #	DESCRIPTION
NE47198	Deep teeth, 8-1/4" (21 cm)

ULRICH SELF-RETAINING BONE HOLDING FORCEPS

Straight, with speed lock.



CODE #	DESCRIPTION
NE47108	Mini, 7-1/4" (19 cm)
NE47110	8-1/2" (22 cm)
NE47112	9-7/8" (25 cm)
NE47114	10-1/4" (26 cm)


KERN BONE HOLDING FORCEPS



CODE #	DESCRIPTION
NE47054	Mini, 6-5/8" (17 cm), without ratchet
NE47056	9-1/2" (24 cm), without ratchet
NE47062	6-3/4" (17 cm), with ratchet
NE47064	9-1/2" (24 cm), with ratchet

LANE BONE HOLDING FORCEPS

Particularly well suited for use during insertion of intermedullary nails.



CODE #	DESCRIPTION
NE47078	Light model, without ratchet, 13" (33 cm)
NE47080	Light model, with ratchet, 13" (33 cm)
NE47068	Standard model, without ratchet, 13" (33 cm)
NE47082	Standard model, with ratchet, 13" (33 cm)
NE47070	Without ratchet, 17" (43 cm)
NE47084	With ratchet, 17" (43 cm)

VEBRUGGE SELF-CENTERING BONE HOLDING FORCEPS

Self centering, with speed lock



CODE #	DESCRIPTION
NE47090	5-3/4" (15 cm)
NE47092	7-1/4" (19 cm)
NE47094	9-1/4" (24 cm)
NE47096	10" (26 cm)
NE47098	11-1/4" (29 cm)

ULRICH SELF-RETAINING BONE HOLDING FORCEPS

Angled, with speed lock and swivel jaw



CODE #	DESCRIPTION
NE47118	11" (28 cm)

ULRICH SELF-RETAINING BONE HOLDING FORCEPS

Angled, with speed lock.



CODE #	DESCRIPTION
NE47109	7-1/4" (19 cm)
NE47116	11" (28 cm)

ANGLED BONE HOLDING FORCEPS

With swivel head, adjustable jaw.



CODE #	DESCRIPTION
NE47212	8-1/2" (22 cm)

VERBRUGGE BONE HOLDING FORCEPS


With short ratchet



CODE #	DESCRIPTION
NE47120	6-7/8" (18 cm)

VERBRUGGE BONE HOLDING FORCEPS

With long ratchet.



CODE #	DESCRIPTION
NE47122	10" (26 cm)
NE47124	10-1/2" (27 cm)
NE47126	11" (28 cm)

BONE REDUCTION FORCEPS


STAGBEETLE BONE REDUCTION FORCEPS



CODE #	DESCRIPTION
NE47119	Curved, pointed tips, 4-7/8" (13 cm)


BONE REDUCTION FORCEPS

Curved. One tip has a stepped point for a better hold on bone.




CODE #	DESCRIPTION
NE47137	5-1/4" (14 cm)
NE47136	6-3/4" (17 cm)

REILL BONE REDUCTION FORCEPS



CODE #	DESCRIPTION
NE47132	Curved, pointed tips, 6-3/4" (17 cm)

BONE REDUCTION FORCEPS



CODE #	DESCRIPTION
NE45300	Curved, pointed tips, 5" (13 cm)

BONE REDUCTION FORCEPS


With ratchet completely engaged, the jaw opening is 9 mm wide.



CODE #	DESCRIPTION
NE47134	Ratchet length: 2" (5 cm) Opens to 4" (10 cm) 8" (21 cm)

BONE REDUCTION FORCEPS

Curved, with speed lock



CODE #	DESCRIPTION
NE47105	7" (18 cm)
NE47135	9-5/8" (25 cm)

BONE REDUCTION FORCEPS

Curved and serrated with pointed tips.



CODE #	DESCRIPTION
NE47133	Narrow, 5-1/4" (14 cm)
NE47135	Broad, 5-1/2" (14 cm)

ASYMETRIC PELVIC REDUCTION FORCEPS




CODE #	DESCRIPTION
NE45310	Short pointed-ball tips, 16" (41 cm)

BONE REDUCTION FORCEPS



ANGLED PELVIC BONE REDUCTION FORCEPS


Long tips



CODE #	DESCRIPTION
NE45314	Long pointed-ball tips, 9-5/8" (25 cm)


ANGLED PELVIC BONE REDUCTION FORCEPS

Short tips




CODE #	DESCRIPTION
NE45312	Short pointed-ball tips, 7-3/8" (19 cm)

PELVIC REDUCTION FORCEPS




CODE #	DESCRIPTION
NE47100	With screws, 13-1/2" (35 cm)

PELVIC REDUCTION FORCEPS




CODE #	DESCRIPTION
NE47101	1 x 2 jaws, long pointed-ball tips, 16-1/8" (41 cm)

PELVIC REDUCTION FORCEPS



CODE #	DESCRIPTION
NE47103	Pointed tips, long pointed-ball tips, 16-1/8" (41 cm)

PELVIC REDUCTION FORCEPS



CODE #	DESCRIPTION
NE47102	Angled tips, short pointed-ball tips, 10-1/8" (26 cm)

BONE CLAMPS


BISHOP BONE CLAMP



CODE #	DESCRIPTION
NE47202	Adjustable jaw, 8-7/8" (22.5 cm)

LOWMAN BONE CLAMPS


1 x 2 jaws. Calibrated in inches to measure bone diameter.



CODE #	DESCRIPTION
NE47140	4-3/4" (12 cm)
NE47154	5-5/8" (14.5 cm)
NE47156	6-3/4" (17 cm)

LAMBERT-LOWMAN BONE CLAMPS


2 x 2 jaws. Calibrated in inches to measure bone diameter.



CODE #	DESCRIPTION
NE47167	7-1/4" (18.5 cm)
NE47168	8" (20.5 cm)


LOWMAN BONE CLAMPS

1 x 1 jaws. Calibrated in inches to measure bone diameter.



CODE #	DESCRIPTION
NE47160	4-3/4" (12 cm)
NE47164	5-3/4" (14.5 cm)
NE47166	6-7/8" (17.5 cm)

ROSENBLOOM SESAMOID CLAMP



CODE #	DESCRIPTION
NE69795	Slightly curved, 6-1/2" (16.5 cm)

VOGEN SESAMOID CLAMP

- Designed to grasp and hold a sesamoid while dissecting it free.
- The sesamoid is first exposed within the capsule, then the two-pronged tip is hooked beneath the sesamoid. The plunger is then seated in the bone to secure it for manipulation and dissection.



CODE #	DESCRIPTION
NE69827	4" (10 cm) shaft

BONE HOOKS

SHARP HOOK

To check fracture and remove ingrown tissue



CODE #	DESCRIPTION
NE47880	6" (15 cm)

VOLNEANN BONE HOOKS



CODE #	DESCRIPTION
NE48331	Sharp, 15 mm high x 20 mm deep, 9" (23 cm)
NE48335	Sharp, 15 mm high x 20 mm deep, 9-3/4" (25 cm)
NE48334	Sharp, 19 mm high x 27 mm deep, 8-5/8" (22 cm)
NE48333	Blunt, 15 mm high x 20 mm deep, 9" (23 cm)

BONE HOOKS

Sharp with grip handle, 9" (23 cm).



CODE #	DESCRIPTION
NE48342	Small, 6 mm high x 10 mm deep
NE48343	Medium, 11 mm high x 18 mm deep
NE48344	Large, 12 mm high x 21 mm deep


BONE HOOK

Large, for femurs. With T-handle



CODE #	DESCRIPTION
NE48332	18 mm high x 21 mm deep, 7-7/8" (20 cm)

NELS BONE NEL



CODE #	DESCRIPTION
NE48336	Square taper, 6-1/4" (16 cm)

SHOULDER PENETRATING NEL

Phenolic handle.



CODE #	DESCRIPTION
NE46916	9-1/4" (23.5 cm)

Autoclavable to 290°F (143°C)

KUNTSCHER DIAMOND POINTED NEL



CODE #	DESCRIPTION
NE48303	With handle, 11-5/8" (29.5 cm)

RUSH NEL AND REAMERS

For penetrating cortex of bone. Used as grooved director for insertion of pins.



CODE #	DESCRIPTION
NE48338	0.1" (2.5 mm) diameter, working length 7-1/2" (19 cm), pointed, 9-7/8" (25 cm)
NE48339	0.1" (3 mm) diameter, working length 8-1/4" (21 cm), pointed, 10-5/8" (27 cm)
NE48340	0.2" (5 mm) diameter, working length 8-1/2" (21.5 cm), pointed, 10-7/8" (27.5 cm)
NE48341	0.25" (6 mm) diameter, working length 10-1/2" (26.5 cm), pointed, 12-3/4" (32.5 cm)

SHOULDER PERCUNEION NELS

8-1/2" (21.5 cm).



CODE #	DESCRIPTION
NE46913	Small
NE46914	Medium
NE46915	Large

PERTHES BONE NEL



CODE #	DESCRIPTION
NE48337	8-1/4" (21 cm)