





Orthopedic Surgical Sets

Catalogue 2025




6.0mm Spinal Pedicle Screw Set

Description:

- Awl
- Probe, Straight
- Probe, Curved
- Probe, Straight
- Double end Probe
- Fixed pin driver
- Ball fixed pin
- Cylinder fixed pin
- Tap
- Tap
- Tap
- Tap
- Ratchet Handle
- Multi-axial Screw Hex driver
- Fix angle screws driver
- T-handle
- Wrenching bar
- Plug Starter, Hex
- Pre-Plug Driver
- 20 cm Template rod
- Rod Bender
- Rod holder
- Sagittal Plane In-Situ Bender
- Sagittal Plane In-Situ Bender
- Rod Pusher
- Rod Reducer Plier
- Rocker
- Counter Reduction Sleeve Wrench
- Final Plug Driver
- SW 4.0 Driver shaft

- Curved Compressor
- Curved Distractor
- Rod Rotation Wrench
- Multi-axial Reduction Screw Hex driver
- Fix angle Reduction screws driver
- Rod Reducer Plier-Reduction Extension sleeve A
- Rod Reducer Plier-Reduction Extension sleeve B
- Reduction screw Rocker
- Reduction Tab Breaker
- Rod Rotation Forcep
- 10Nm Torsion Limited Driver
- Crosslink Meter
- Crosslink driver
- Crosslink Plate Bender
- Crosslink plate holder
- Crosslink Plate Locker Screw Driver
- Crosslink plate holder ($\Phi 3.0$)
- Instrument case Box

NE-OS-101



6.5mm Cannulated Screw Instruments Set

- **Description:**


- Depth Gauge (0–120 mm)
- Threaded Guider Wire 2.5 mm
- Threaded Guider Wire 2.5 mm
- Cannulated Drill Bit with Limited Block 4.5 mm
- Cannulated Countersink Φ 9
- Hex Key
- Wrench for Adjustable Parallel Wire Guider
- Multiple Wire Guider
- Tap Cannulated Screw 6.5 mm
- Screwdriver Hexagonal 3.5 mm
- Cleaning Stylet 2.5 mm
- Drill Sleeve
- Adjustable Parallel Wire Guider
- Cannulated Screwdriver Hexagonal 3.5 mm
- Aluminum Box



NE-OS-102

ACI-PCL Reconstruction Guide Set Of 5 Pcs Knee Orthopedic Instrument

- **Description:**
- Material: A Grade Stainless Steel
- Rusting Prevention Procedure: Passivated
- Ultrasonic Cleaned: Yes
- Lubricate: Yes
- Polished: No (but possible)
- Sand-Blasted: No (but possible)
- Dull-Polished: Yes (German Dull)
- TC: No
- Gold Platted: HALF HANDLE
- Usage: Left Hand or Right Hand
- Tests Performed: Boil Test, Performance Test, Shape Test
- Packing: Individually Packed




NE-OS-103

ACL PCL Knee Arthroscopy Surgical Surgery Instruments Set 43 Pcs

• Description:

- Main zig 1
- Elbow aimer 1
- PCL Tibial 1
- PCL Femoral 1
- Angle Buliate 1
- Graft passing 2.4mm Drill Bit 1
- Graft passing top (Beacht pin) 1
- Cannulated Tibial Reamer: Dia.6.0mm 1
- Cannulated Tibial Reamer: Dia.7.0mm 1
- Cannulated Tibial Reamer: Dia.8.0mm 1
- Cannulated Tibial Reamer: Dia.9.0mm 1
- Cannulated Tibial Reamer: Dia.10.0mm 1
- Cannulated Tibial Reamer: Dia.11.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.6.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.7.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.8.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.9.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.10.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.11.0mm 1
- Depth Gauge for ACL/PCL reconstruction 1
- Femoral Aimer, 5mm 1
- Femoral Aimer, 7mm 1
- Tunnel Plug, 7-9 mm 1
- Tunnel Plug, 8-9 mm 1
- Tunnel Plug, 9-10 mm 1
- Tunnel Dilator, 7mm 1
- Tunnel Dilator, 8mm 1
- T-Handle for Tunnel Dilators 1
- Cannulated screwdriver for Biol.cc interference screw 1
- Impactor for spiked ligament staple 1
- Arthroscopic Probe 1
- Microfracture Awl, 30° 1
- Microfracture Awl, 45° 1
- Microfracture Awl, 90° 1
- Graft Prep Station 1
- Graft Sizing Block 1
- Tendon Stripper, Closed end, 6mm 1
- Tendon Stripper, Open end, 7mm 1
- Straight Rasp 1
- Convex Rasp 1
- Femoral PCL Elevator 1

- Trocar Pin 1
- Empty Container for Knee Arthroscopy Instruments 1



NE-OS-104

ACL PCL Knee Arthroscopy Surgical Surgery Instruments Set 48 Pcs

• **Description:**

- Main zig 1
- Elbow aimer 1
- PCL Tibial 1
- PCL Femoral 1
- Angle Bullater 1
- Graft passing 2.4mm Drill Bit 1
- Graft passing pin (Beastin pin) 1
- Cannulated Tibial Reamer: Dia.6.0mm 1
- Cannulated Tibial Reamer: Dia.7.0mm 1
- Cannulated Tibial Reamer: Dia.8.0mm 1
- Cannulated Tibial Reamer: Dia.9.0mm 1
- Cannulated Tibial Reamer: Dia.10.0mm 1
- Cannulated Tibial Reamer: Dia.11.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.6.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.7.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.8.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.9.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.10.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.11.0mm 1
- Depth Gauge for ACL/PCL reconstruction 1
- Femoral Aimer, 5mm 1
- Femoral Aimer, 7mm 1
- Tunnel Plug, 7-8 mm 1
- Tunnel Plug, 8-9 mm 1
- Tunnel Plug, 9-10 mm 1
- Tunnel Dilator, 7mm 1
- Tunnel Dilator, 8mm 1
- Tunnel Dilator, 9mm 1
- T-Handle for Tunnel Dilators 1
- Cannulated screwdriver for BioLoc interference screw 1
- Impactor for spiked ligament staple 1
- Arthroscopic Probe 1
- Microfracture Awl, 30° 1
- Microfracture Awl, 45° 1
- Microfracture Awl, 90° 1
- Graft Prep Station 1
- Graft Sizing Block 1
- Tendon Stripper, Closed end, 6mm 1
- Tendon Stripper, Open end, 7mm 1
- Straight Rasp 1
- Convex Rasp 1

- Femoral PCL Elevator 1
- Trocar Pin 1
- Empty Container for Knee Arthroscopy Instruments 1




NE-OS-105

Anterior Cervical Fixation System Instrument Set Orthopedic

- **Description:**

- Plate and Screw Box
- Brace Screwdriver
- Drill Bit Ø2.5
- Screwdriver Hex SW2.5
- Drill Bit Ø2.5
- Hand Drill
- Screwdriver Sleeve
- Plate Holder Forcep
- Screwdriver Sleeve
- Cervical Hook
- Surette
- Guider
- Screwdriver Hex SW2.5
- Distractor
- Tap with Stopper
- Location Screw Screwdriver
- AWL
- Brace Screw
- Nut Screwdriver
- Plate Bender
- Location Screw
- Aluminium Box




NE-OS-106

Anterior Cervical Plate System Instrument Set For Spine Surgery

• **Description:**

- Plate and Screw Box
- Drill Bit Ø2.5
- Drill Bit Ø2.5
- Screwdriver Sleeve
- Screwdriver Sleeve
- Curette
- Screwdriver Hex SW2.5
- Tap with Stopper
- AWL
- Nut Screwdriver
- Brace Screwdriver
- Screwdriver Hex SW2.5
- Hand Drill
- Plate Holder Forcep
- Cervical Hook
- Cervical Hook
- Guider
- Distractor
- Location Screw Screwdriver
- Brace Screw
- Plate Bender
- Location Screw
- Aluminium Box



NE-OS-107

Anterior Cervical Retractor Kit

- **Description:**

- Retractor Blade Curved 20*30
- Retractor Blade Curved 20*30
- 4 Toothed Retractor Blade 20*30
- 4 Toothed Retractor Blade 20*30
- Retractor Blade Curved 24*40
- Retractor Blade Curved 24*40
- 5 Toothed Retractor Blade 24*40
- 5 Toothed Retractor Blade 24*40
- Retractor Blade Blunt 24*40
- Retractor Blade Blunt 24*40
- Retractor
- Retractor Blade Curved 20*50
- Retractor Blade Curved 20*50
- 4 Toothed Retractor Blade 24*40
- 4 Toothed Retractor Blade 24*40
- Retractor Blade Curved 25*60
- Retractor Blade Curved 25*60
- 5 Toothed Retractor Blade 25*60

- 5 Toothed Retractor Blade 25*60
- Retractor Blade Blunt 25*60
- Retractor Blade Blunt 25*60
- Aluminium Box



NE-OS-108

Arthroscopy Shoulder Instruments Set

- **Description:**

- SHOULDER INSTRUMENT CASE
- PROBE, HOOK 5.4mm, TIP W/5mm MARKINGS
- BIRDBEAK, 2.75mm, 45° UP TIP
- BIRDBEAK, 2.75mm, 22° UP TIP
- SUTURE RETRIEVER, ø3.4mm, STRAIGHT
- SHOULDER DEBRIDEMENT RASP
- KNOT PUSHER, CLOSED END
- SLAP RASP
- GLENOID RASP
- SHOULDER TISSUE ELEVATOR
- SHOULDER TISSUE ELEVATOR
- ROTATOR CUFF GRASPER, 4.2mm
- CURETTE BOTH SIDE CUT, 5.4mm RING
- PENETRATOR SUTURE RETRIEVER, 15°
- EXTRA LONG SWITCHING STICK
- SUTURE HOOK
- SUTURE CUTTER, OPEN ENDED, LEFT NOTCH
- FIBER TAPE CUTTER
- FIBER TAPE RETRIEVER W/SR HANDLE
- PUNCH FOR 4.5mm PUSH LOCK & CORK SCREW
- CORK SCREW PUNCH
- 5.5/6.5MM SWIVELock
- PUNCH FOR 3mm PUSH LOCK

- SCORPION SUTURE PASSER, HUMPBACK
- SPEAR, TROOFLITE
- OBITURATOR
- DRILL FOR SHORT 2.9mm PUSH LOCK
- DRILL FOR 3.5mm PUSH LOCK
- PassPort Hemostat, Curved
- PassPort Measuring Guide
- Aluminium Tray




NE-OS-109

Austin Moore Set With Sterilize Case

- **Description:**

- Austin moore guage 01
- Austin moore impactor 01
- Rasp narrow 01
- Rasp broad 01
- Tommy bars 02
- Bone skid 01
- Box Chisel 01
- Cork screw 01
- Nail extractor set (contain 2 weights, 1 rod , 2 hooks) 05 stainless steel. Total Quantity. With BOX 14 Pcs




NE-OS-110

Black Belt ACD Cervical Retractor Set With Titanium Blades

- **Description:**

- 1 Retractor Frame RIGHT
- 1 Retractor Frame LEFT
- 2 Blade Insertion Clamps
- 14 Promged Blades 34mm-70mm
- 14 Blunt Blades 34mm-70mm
- 12 Two Level Promged Blades 40mm-55mm
- 6 Two Level Blunt Blades 40mm-55mm
- 1 Container



NE-OS-111

Bone Curette Set Orthopedic Surgical Instrument With Box

• **Description:**

- Purple 4/0--- Straight
- Purple 4/0--- Angled
- Red 2/0--- Straight
- Red 2/0--- Angled
- Blue 0--- Straight
- Blue 0--- Angled
- Gold 2--- Straight
- Gold 2--- Angled



NE-OS-112

Bookwalter Kit Retractor System Surgical Premium Grade Quality Set With Box

- **Description:**

- Ring + Blade TRAY
- 1"POST COUPLING BALFOUR RETRACTOR
- HORIZONTAL FLEXBAR
- HARRINGTON FLEXBAR
- MEDIUM OVAL RING
- SEGMENTEDRING
- MALLEABLE RETRACTOR 2 (2"X6"/51MMX152MM)
- MALLEABLE RETRACTOR 1 (3"X6"/76MMX152MM)
- KELLYRETRACTOR 2 (2"X3"/51MMX76MM)
- KELLYRETRACTOR 1 (2"X4"/51MMX110MM)
- KELLYRETRACTOR 1 (2"X5"/51MMX127MM)
- KELLYRETRACTOR 1 (2"X6"/51MMX152MM)
- 6 TILT RATCHET MECHANISMS
- 2 RATCHET MACHANISMS




NE-OS-113

Bookwalter Kit Retractor System Surgical Premium Grade Quality Set With Box

- **Description:**

- Ring + Blade TRAY
- 1" POST COUPLING BALFOUR RETRACTOR
- HORIZONTAL FLEXBAR
- HARRINGTON FLEX BAR
- MEDIUM OVAL RING
- SEGMENTED RING
- GELPI RETRACTOR
- MALLEABLE RETRACTOR 2 (2"X6"/51MMX152MM)
- MALLEABLE RETRACTOR 1 (3"X6"/76MMX152MM)
- KELLYRETRACTOR 2 (2"X3"/51MMX76MM)
- KELLYRETRACTOR 1 (2"X4"/51MMX110MM)
- KELLYRETRACTOR 1 (2"X5"/51MMX127MM)
- KELLYRETRACTOR 1 (2"X6"/51MMX152MM)
- 6 TILT RATCHET MECHANISMS
- 2 RATCHET MACHANISMS





NE-OS-114

Broken Screw Removal Instrument Set

- **Description:**

- Status Screwdriver, 6mm
- Stable Screwdriver, 6mm
- Spump Screwdriver, 1.5mm
- Tipping Screwdriver, 1.5mm
- Trepin, 4mm - Trepin, 6mm
- Toggle, 6.5mm
- Hexagon Screwdriver, 1.5mm
- Hexagon Screwdriver, 2.0mm
- Hexagon Screwdriver, 3.0mm
- Hexagon Screwdriver, 5.5mm
- Hexagon Screwdriver, 4.0mm
- Hexagon Screwdriver, 5.5mm
- Hexagon Screwdriver, 6.0mm
- Hexagon Screwdriver, 5.5mm
- Trepin, 8.2mm - Trepin, 8.2mm
- Trepin, 6.0mm - Trepin, 8.0mm
- Trepin, 6.5mm - Trepin, 6mm
- Hexagon Slip Extractor, 1.2mm
- Hexagon Slip Extractor, 2.5mm
- Hexagon Slip Extractor, 2.7mm
- Hexagon Slip Extractor, 3.5mm

- Hexagon Slip Extractor, 4.0mm
- Hexagon Slip Extractor, 5.5mm
- Torx Screwdriver, T18
- Torx Screwdriver, T19
- Torx Screwdriver, T20
- Torx Screwdriver, T21
- Torx Screwdriver, T22
- Torx Screwdriver, T23
- Torx Screwdriver, T24
- Sohn / Style Signum
- Drill Bit, 1mm - Drill Bit, 5mm - Drill Bit, 8
- Resurer - Sharp Hook + Quick Handle, 1
- Quick Handle, Straight
- Trepin, 4.5mm - Trepin, 3.5mm
- Bone Screw Holding Fotops
- Bone Screw
- Sterilization Case Overall Dimensions: 15 inch L x 5.8 inch W x 9.28 inch H




NE-OS-115

Caspar Lumbar Micro Discectomy Retractor Set

- **Description:**

- 1 Sterilization Container
- 1 Casper Directory
- 1 Blade Ejector Forceps
- 7 Lateral Blades - 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 65 mm, 70 mm
- 7 Speculas - 40 mm, 45 mm, 50 mm, 55 mm, 60 mm, 65 mm, 70 mm




NE-OS-116

DHS&DCS Orthopedic Instrument Set Aluminum Wit Box

- **Description:**

- DHS/DCS Reamer 1PC
- DHS/DCS Reamer 1PC
- DHS/DCS Tap 12.5mm 1PC
- DHS/DCS Angle/guide 150' 1PC
- DHS/DCS Angle/guide 45' 1PC
- DHS/DCS Impector 1PC
- Depth guage Large 1PC
- Screw Driver 4.5mm 1PC
- Drill Sleeve 3.5mm 4.5mm 1PC
- Drill Sleeve 4.5mm 6.5mm 1PC
- Drill Guide 3.5mm 4.5mm 1PC
- Missling guage 1PC
- DHS/DCS Pana 1PC
- DHS/DCS Pana sleeve 2PC
- Drill bit 3.5mm 2PC
- Drill bit 4.5mm 2PC
- Tap Handle 4.5mm
- Tap Handle 4.5mm



NE-OS-117

Distal Radius 2.4 mm Orthopedic Best Instrument Set Aluminum Box Screw And Plate

- **Description:**

- Sterilization box
- 10 Plates with (2.7 mm forking holes) Material 316 L (Stainless Steel)
- Locking screws for for 10 Plates. Material 316 L (Stainless Steel)
- Screw Driver
- 2 Bone liver
- 2 Sleeves
- 3 Drill bits
- Depth gauge
- Sleeves handle
- Drill & tap guider

- **Total Number of Screw (110 Screws)**

- **Cortical Screws:** 316 L (Stainless Steel)

- 8mm (5), 10mm (5), 12mm (5), 14mm (5), 16mm (5), 18mm (5), 20mm (5), 22mm (5), 24mm (5), 26mm (5), 28mm (5)

- **Locking Screws:** 316 L (Stainless Steel)

- 8mm (5), 10mm (5), 12mm (5), 14mm (5), 16mm (5), 18mm (5), 20mm (5), 22mm (5), 24mm (5), 26mm (5), 28mm (5)




NE-OS-118

Femoral Interlocking Intramedullary Nails Set For Femur Bone Fracture Surgery

• Description:

- Universal Joint 1
- Drill Sieve 2
- Open Wrench 1
- Quick Coupling T-Handle 1
- Screwdriver 1
- Drill Sieve 1
- Hex Wrench 1
- Hex Wrench 1
- Drill Sieve 1
- Drill Sieve 1
- T-handle Drill Bit 2
- Depth Gauge 10-100mm 1
- Drill Bit 5.2*300mm 1
- Drill Bit $\phi 4.0 \times 300$ 1
- Drill Bit with Limitor $\phi 4.0 \times 300$ 1
- Reamer 10mm 1
- Reamer 11mm 1
- Reamer 12mm 1
- Reamer 13mm 1
- AWL 1
- Guide Wire 1
- Hammer 1
- Guide Rod 1
- Connector Rod 1
- Nail Connector 1
- Location Rod 1
- Sighting Device Handle 1

- Bolt 1
- Bolt 1
- Bolt 1
- Bolt 1
- Fixed Connector 1
- Location Forcep 1
- Connector 1
- Distal Guider 1
- Box 1



NE-OS-119

Flexarm Nathen Liver Retractor Set




NE-OS-120

Humerus Interlocking Nail Set With Box

- **Description:**

- Ring + Blade TRAY
- 1" POST COUPLING BALFOUR RETRACTOR
- HORIZONTAL FLEX BAR
- HARRINGTON FLEX BAR
- MEDIUM OVAL RING
- SEGMENTED RING
- GELPI RETRACTOR
- MALLEABLE RETRACTOR 2(2"x6"/51MMX152MM)
- MALLEABLE RETRACTOR 1(3"x6"/76MMX152MM)
- KELLY RETRACTOR 2(2"x3"/51MMX76MM)
- KELLY RETRACTOR 1(2"x4"/51MMX110MM)
- KELLY RETRACTOR 1(2"x5"/51MMX127MM)
- KELLY RETRACTOR 1(2"x6"/51MMX152MM)
- 6 TILT RATCHET MECHANISMS
- 2 RATCHET MACHANISMS




NE-OS-121

K-Wire Instruments Complete Set With Sterilize Case

- **Description:**

- 1Wire Tightener Handle with two pegs1
- 2Plier cum cutter1
- 3Wire bending pliers1
- 4Wire Passer2
- 5Vice Grip1
- 6Forceps for holding cerclage wire2
- 7Wire with eye of 1.0mm dia., length 280mm10
- 8Wire with eye of 1.25mm dia., length 280mm10
- 9Wire coil, 1 each of 1.0 and 1.25mm dia.2
- 10K Wire Dia. 1.0mm, Length 150mm10
- 11K Wire Dia. 1.25mm, Length 150mm10
- 12K Wire Dia. 1.5mm, Length 150mm10
- 13K Wire Dia. 2.0mm, Length 150mm10
- 14K Wire Dia. 2.5mm, Length 150mm10
- 15K Wire Dia. 3.0mm, Length 150mm10







NE-OS-122

Large Fregment Instruments Complete Set With Sterilize Case

• Description:

- Drii | Bit $\Phi 3.2 \times 150\text{mm}$ 2
- Drii | Bit $\Phi 4.5 \times 150\text{mm}$ 2
- Countersink $\Phi 8$ 1
- Tap canvas 4.5mm 1
- Tap cancelions 6.5mm 1
- Screw Forceps 1
- 4.5 mm DCP Drill Guide neutral and load 1
- Double Drill Sleeve $\Phi 3.2/6.5$ 1
- Universal Drill Guide $\Phi 3.2/4.5$ 1
- Template 11x12u0 1
- Template 12x155 1
- Template 12x212 1
- Depth Gauged-90 1
- Extraction Screw For Hexagonal 3.5mm, conical 1
- Hollow Reamer 8mm 1
- Screwdiver Hexagonal 3.5mm 1
- Reduction Forceps with points, broad, ratchet, 210mm 1
- Reduction Forceps with serrated Jaw, ratchet, 210mm 1
- Self-centering Bone Holding Forceps.260mm 2
- Periosteal Elevator 8mm, round 1
- Periosteal Elevator 16mm, flat 1
- Holmium Retractor, Width 44mm 2
- Bending Iron L/R 1
- quick coupling t handle 1
- screwdriver shaft 4.5
- Surgical Sterilization Box




NE-OS-123

Leyla Brain Retractor Set

- **Description:**

- 2 Socket Joints
- 1 Coupling Head
- 1 Holding Rod
- 2 Flexible Arms with fix Base
- 2 Flat Spatulas with Holders



NE-OS-124

MARTIN ARM Neurosurgery Retractor Liver System Complete Orthopedic

- **Description:**
- Martin Arm Surgical Retractor System Complete Set
- BRAND NEW Quality A+
- 1 Bed Support
- 1 Rod
- 1 Moveable Arm
- 3 Wires as shown in Picture



NE-OS-125

Micro Mini Instruments Complete Set With Sterilize Case

• Description:

DRILL BITS & GUIDES:

- Drill bit: 1.1mm (Qty: 2)
- Drill bit: 1.5mm (Qty: 2)
- Drill bit: 2.0mm (Qty: 2)
- Drill bit: 2.5mm (Qty: 2)
- Drill bit: 3.2mm (Qty: 2)

Neutral & Loaded Drill Guide (Qty: 1 each):

- 1.1mm & 1.5mm
- 1.5mm & 2.0mm
- 2.0mm & 2.7mm
- 2.5mm & 3.5mm
- 3.2mm & 4.0mm

TAP SLEEVES & TAPS:

- Tap sleeve: 1.1mm & 1.5mm (Qty: 1)
- Tap sleeve: 2.7mm & 2.0mm (Qty: 1)
- Tap sleeve: 2.5mm & 3.5mm (Qty: 1)
- Tap sleeve: 3.2mm & 4.0mm (Qty: 1)
- HA 1.5 Tap (Qty: 1)
- HA 2.0 Tap (Qty: 1)
- HA 2.7 Tap (Qty: 1)
- HA 3.5 Tap (Qty: 1)
- HA 4.0 Tap (Qty: 1)

MEASURING TOOLS:

- Depth Gauge (Qty: 1)
- Counter sink large (Qty: 1)
- Counter sink small (Qty: 1)

SCREWDRIVERS & TOOLS:


- Hex Head Screw driver 1.5mm (Qty: 1)
- Hex head Screw driver 2.7mm (Qty: 1)
- Hex head screw driver 3.5mm (Qty: 1)
- Plate Benders pair-modern design (Qty: 1)
- Plate benders small (Qty: 1)
- Periosteal Elevator (Round Head) (Qty: 1)
- Broken screw externaliser (Qty: 1)
- Periosteal Elevator (Flat Head) (Qty: 1)
- Reduction Forceps with point (Qty: 1)
- Reduction Forceps (Qty: 1)
- Self-centering forceps (Qty: 1)

STORAGE & IMPLANTS:

- Case (Qty: 1)
- Screw rack-3.5/4.0mm (Qty: 1)
- Screw rack-1.5/2.0/2.7 (Qty: 1)
- Bone plate 1.5mm (Qty: 1)
- Bone plate 2.0mm (Qty: 1)
- Bone plate 2.7mm (Qty: 1)
- Bone plate 3.5/4.0mm (Qty: 1)

Cortical screws self-tapping (Qty: 1 each):

- 1.5mm
- 2.0mm
- 2.7mm
- 3.5mm
- 4.0mm-cancellous




NE-OS-126

Mis Tublar Retractor Spine system Complete Set

- **Description:**

- 16 mm Cups (Qty: 7)
- 18 mm Cups (Qty: 7)
- 20 mm Cups (Qty: 7)
- Dilators (5 mm × 50 mm) (Qty: 7)
- Complete Bed Support System with Malleable Arm (Qty: 1)




NE-OS-127

Mis Tublar Retractor Spine System Complete Set With Sterilize Case

- **Description:**

- (7) 16 mm Cups
- (7) 18 mm Cups
- (7) 20 mm Cups
- (7) Dilators (5 mm x 50 mm)(1)
- Complete Bed Support System with Malleable Arm




NE-OS-128

Mueller-Type Cement Removal Instruments Set

- **Description:**

- Narrow Cement Removal Gouge, Short - Shaft Length: 150mm - Gouge: 9mm, negative (Qty: 1)
- Narrow Cement Removal Gouge, Long - Shaft Length: 240mm - Gouge: 9mm, negative (Qty: 1)
- Narrow Offset Cement Removal Gouge - Shaft Length: 240mm - Gouge: 9mm, negative (Qty: 1)
- Acetabular Chisel - Shaft Length: 240mm - Chisel: 7.5mm (Qty: 1)
- Offset Chisel - Shaft Length: 150mm - Chisel: 9mm (Qty: 1)
- Flared Angle Gouge - Shaft Length: 240mm - Gouge: 9mm, positive, angle 15° downward (Qty: 1)
- Wide Gouge - Shaft Length: 240mm - Gouge: 11.5mm, negative (Qty: 1)
- "V" Splitter - V-Shaped Chisel: 7mm (Qty: 1)
- Cement Splitting Osteotome - Shaft Length: 240mm (Qty: 1)
- Saddle Punch - Shaft Length: 240mm - Punch: 16.5mm x 6.5mm (Qty: 1)
- Cement Removal Osteotome, Short - Shaft Length: 150mm - Osteotome: 8mm (Qty: 1)
- Cement Removal Osteotome, Long - Shaft Length: 240mm - Osteotome: 8mm (Qty: 1)
- 4.4mm Drill - 4.4mm (Qty: 1)



NE-OS-129

Omni Track Complete Retractor Set

• **Description:**

- Main zig 1
- Elbow aimer 1
- PCL Tibial 1
- PCL Femoral 1
- Angle Bullater 1
- Graft passing 2.4mm Drill Bit 1
- Graft passing pin (Beastin pin) 1
- Cannulated Tibial Reamer: Dia.6.0mm 1
- Cannulated Tibial Reamer: Dia.7.0mm 1
- Cannulated Tibial Reamer: Dia.8.0mm 1
- Cannulated Tibial Reamer: Dia.9.0mm 1
- Cannulated Tibial Reamer: Dia.10.0mm 1
- Cannulated Tibial Reamer: Dia.11.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.6.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.7.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.8.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.9.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.10.0mm 1
- Cannulated Femoral Flowertip Reamer: Dia.11.0mm 1
- Depth Gauge for ACL/PCL reconstruction 1
- Femoral Aimer, 5mm 1
- Femoral Aimer, 7mm 1
- Tunnel Plug, 7-8 mm 1
- Tunnel Plug, 8-9 mm 1
- Tunnel Plug, 9-10 mm 1
- Tunnel Dilator, 7mm 1
- Tunnel Dilator, 8mm 1
- Tunnel Dilator, 9mm 1
- T-Handle for Tunnel Dilators 1
- Cannulated screwdriver for BioLoc interference screw 1
- Impactor for spiked ligament staple 1
- Arthroscopic Probe 1
- Microfracture Awl, 30° 1
- Microfracture Awl, 45° 1
- Microfracture Awl, 90° 1
- Graft Prep Station 1
- Graft Sizing Block 1
- Tendon Stripper, Closed end, 6mm 1
- Tendon Stripper, Open end, 7mm 1
- Straight Rasp 1
- Convex Rasp 1




NE-OS-130

Orthopedic Bone Screw Driver Quick Coupling Handle 9 Pieces Set

- **Description:**

- Screw Driver 1.5 mm (Qty: 1)
- Screw Driver 2.0 mm (Qty: 1)
- Screw Driver 2.5 mm (Qty: 1)
- Screw Driver 3.0 mm (Qty: 1)
- Screw Driver 3.5 mm (Qty: 1)
- Screw Driver 4.0 mm (Qty: 1)
- Screw Driver 4.5 mm (Qty: 1)
- Screw Driver 5.0 mm (Qty: 1)
- Includes: Quick Coupling handle (Qty: 1)



NE-OS-131

Orthopedic Hudson Brace Hand Drill Set of 7 Pcs

- **Description:**

- 1 Brace. Length 10.2°
- 1 Extension piece for brace. Length 3.9°
- 1 Cushing 14mm Flat Drill. Length 4°
- 1 Burr, diameter 9mm, Cylindrical. Length 4°
- 1 Burr, diameter 14mm, Cylindrical. Length 3.9°
- 1 Burr, diameter 16mm, Spherical. Length 3.9°
- 1 Burr, diameter 22mm, Spherical. Length 3.9°
- Premium Quality Box



NE-OS-132

Screws Cortical 4.5mm Locking 5.0mm Orthopedics Screw With Box

- **Description:**

- Cortical screw 4.5 mm Size each 18 mm To 80 mm 156
- Locking screw 5.0 mm Size each 18 mm TO 90 mm 150
- Cancellous Screw 6.5 mm Half Thread Size each 30mm To 95 mm 44
- Cancellous screw 6.5mm Full Thread Size each 30mm To 95mm 44
- Orthopedic screws Lowt Of 394 peices Box Large Fragments
- Cortical 4.5mm Locking 5.0mm Cancellous 6.5mm 394PCS



NE-OS-133

Small Fragment Instruments Complete Set With Sterilize Case

• Description:

- Elevator 9mm (Qty: 1)
- Elevator 12mm (Qty: 1)
- Bending Spanner (Qty: 2)
- Screw Extractor (Qty: 1)
- Double Drill Guide 2.5-3.5 (Qty: 1)
- Double Drill Guide 3.0-4.0 (Qty: 1)
- Double Drill Guide 2.5 (Qty: 1)
- Drill bit 2.5mm (Qty: 2)
- Drill bit 3.0mm (Qty: 2)
- Screw driver Hex SW2.5 (Qty: 1)
- Screw Tap HA3.5 (Qty: 1)
- Screw Tap HB4.0 (Qty: 1)
- Depth Gauges 0-60mm (Qty: 1)
- Countersink Drill (Qty: 1)
- Reduction Forceps (small) (Qty: 1)
- 1° Point Reduction Forceps (small) (Qty: 1)
- Bone Holding Forceps Self-Centering (Qty: 2)
- Antslip Screw Driver (Qty: 1)
- Screw Rack (Qty: 1)
- Aluminum Case (Qty: 1)



NE-OS-134

Spine Surgery Instruments Set With Aluminum Box

• Description:

- Awl
- -Probe, Straight
- -Probe, Curved
- Probe, Straight
- Double end Probe
- fixed pin driver
- ball fixed pin
- cylinder fixed pin
- Tap
- Tap
- Tap
- Tap
- Ratchet Handle
- Multi-axial Screw Hex driver
- Fix angle screws driver
- T-handle
- Wrenching bar
- Plug Starter, Hex
- Pre-Plug Driver
- 20cm Template rod
- Rod Bender
- Rod holder
- Sagittal Plane In-Situ Bender
- Sagittal Plane In-Situ Bender
- Rod Pusher
- Rod Reducer Piler
- Rocker
- Counter Reduction Sleeve Wrench
- Final Plug Driver
- SW4.0 Driver shaft
- Curved Compressor

- Curved Distractor
- Rod Rotation Wrench
- Multi-axial Reduction Screw Hex driver
- Fix angle Reduction screws driver
- Rod Reducer Piler- Reduction Extension sleeve A
- Rod Reducer Piler- Reduction Extension sleeve B
- Reduction screw Rocker
- Reduction Tab Breaker
- Rod Rotation Forcep
- 10Nm Torsion Limited Driver
- Crosslink Meter
- Crosslink driver
- Crosslink Plate Bender
- Crosslink plate holder
- Crosslink Plate Locker Screw Driver
- Crosslink plate holder($\Phi 3.0$)
- Instrument case Box



NE-OS-135

Thompson Retractor Complete Set Orthopedic Surgical Instrument Stainless Steel

- **Description:**

- Rail Clamps 26"(55cm) tall with 2 cam joint - 2 PCS
- Crossbars Angled arm 18"(8" * 10") - 3 PCS
- Bilateral crossbars 7 1/4" * 13 1/2" * 7 1/4" - 1 PCS
- Bilateral Crossbar Hinged 11" * 8 1/2" * 11" - 1 PCS
- Retractor Handles S-Lock (non-angling) 8" - 3 PCS
- Retractor Handles Lock Clip-on Angling 10" - 1 PCS
- General Surgery Blades 76mm * 51mm - 1 PCS
- General Surgery Blades 83mm * 76mm - 2 PCS
- Kelly Blades 64mm * 76mm - 1 PCS
- Kelly Blades 76mm * 89mm - 1 PCS
- Malleable Blades 13mm * 90mm - 1 PCS
- Malleable Blades 13mm * 152mm - 1 PCS
- Malleable Blades 13mm * 203mm - 1 PCS
- Malleable Blades 25mm * 203mm - 1 PCS
- Malleable Blades 25mm * 104mm - 1 PCS
- Malleable Blades 51mm * 203mm - 1 PCS
- Malleable Blades 64mm * 254mm - 1 PCS
- Malleable Blades 76mm * 254mm - 1 PCS
- Malleable Blades 102mm * 254mm - 1 PCS
- St.Marks Blades 64mm * 178mm - 1 PCS
- Harrington Blades 64mm * 152mm - 1 PCS
- Wide Balfour Blades 83mm*57mm - 1 PCS
- Wide Balfour Blades 102mm*57mm - 1 PCS
- Wide Balfour Blades 114mm*57mm - 1 PCS



NE-OS-136



DEDICATED
SALES
TEAM

CONTACT US NOW!

FOR EXCEPTIONAL CUSTOMER CARE.

- DETAILS
- QUOTATION
- VIRTUAL MEETING
- ORDER

CONTACT US NOW!

Location:
**Muzaffarpur, Sialkot 51310,
Pakistan**



Website:
www.narhamentp.com



Email:
info@narhamentp.com



Phone Number:
+92 370 0048270

